

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301165	GOPR4SE0094R038HA	KCU20	SE	Plain	Reg w/o Neck		3/32	0094	3/8	038	1 1/2	
7301166	GOPR4SE0094R063HA	KCU20	SE	Plain	Reg w/o Neck		3/32	0094	5/8	063	2	
7301167	GOPR4SE0109R038HA	KCU20	SE	Plain	Reg w/o Neck		7/64	0109	3/8	038	1 1/2	
7300039	GOPR4SE0125S025HA	KCU20	SE	Plain	Short w/o Neck		1/8	0125	1/4	025	1 1/2	
7301169	GOPR4SE0125S025HAE	KCU20	SE	Plain	Short w/o Neck		1/8	0125	1/4	025	2	
7301170	GOPR4SE0125R050HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/8	0125	1/2	050	1 1/2	
7300040	GOPR4SE0125R050HAX	KCU20	SE	Plain	Reg w/o Neck		1/8	0125	1/2	050	2	
7301168	GOPR4SE0125R050HAE	KCU20	SE	Plain	Reg w/o Neck		1/8	0125	1/2	050	2 1/2	
7301251	GOPR4SE0125R075HA	KCU20	SE	Plain	Reg w/o Neck		1/8	0125	3/4	075	2 1/4	
7301252	GOPR4SE0125R100HA	KCU20	SE	Plain	Reg w/o Neck		1/8	0125	1	100	3	
7301253	GOPR4SE0141R056HA	KCU20	SE	Plain	Reg w/o Neck		9/64	0141	9/16	056	2	
7301254	GOPR4SE0156R056HA	KCU20	SE	Plain	Reg w/o Neck		5/32	0156	9/16	056	2	
7300231	GOPR4SE0188S031HA	KCU20	SE	Plain	Short w/o Neck		3/16	0188	5/16	031	2	
7301255	GOPR4SE0188S031HAE	KCU20	SE	Plain	Short w/o Neck		3/16	0188	5/16	031	2 1/2	
7301257	GOPR4SE0188R063HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/16	0188	5/8	063	2	
7300232	GOPR4SE0188R063HAE	KCU20	SE	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/4	
7301256	GOPR4SE0188R063HAX	KCU20	SE	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/2	
7301258	GOPR4SE0188R075HA	KCU20	SE	Plain	Reg w/o Neck		3/16	0188	3/4	075	2 1/2	
7301259	GOPR4SE0188R113HA	KCU20	SE	Plain	Reg w/o Neck		3/16	0188	1 1/8	113	3	
7301260	GOPR4SE0203R063HA	KCU20	SE	Plain	Reg w/o Neck		13/64	0203	5/8	063	2 1/2	
7301261	GOPR4SE0219S044HA	KCU20	SE	Plain	Short w/o Neck		7/32	0219	7/16	044	2	
7301262	GOPR4SE0219R063HA	KCU20	SE	Plain	Reg w/o Neck		7/32	0219	5/8	063	2 1/2	
7301263	GOPR4SE0234R075HA	KCU20	SE	Plain	Reg w/o Neck		15/64	0234	3/4	075	2 1/2	
7300233	GOPR4SE0250S038HA	KCU20	SE	Plain	Short w/o Neck	yes	1/4	0250	3/8	038	2	
7301264	GOPR4SE0250S050HA	KCU20	SE	Plain	Short w/o Neck		1/4	0250	1/2	050	2 1/2	
7300234	GOPR4SE0250R075HA	KCU20	SE	Plain	Reg w/o Neck		1/4	0250	3/4	075	2 1/2	
7301265	GOPR4SE0250R100HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/4	0250	1	100	3	
7300235	GOPR4SE0250R125HA	KCU20	SE	Plain	Reg w/o Neck		1/4	0250	1 1/4	125	3 1/4	
7301266	GOPR4SE0250R175HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/4	0250	1 3/4	175	4	
7301267	GOPR4SE0281R075HA	KCU20	SE	Plain	Reg w/o Neck		9/32	0281	3/4	075	2 1/2	
7301268	GOPR4SE0297R081HA	KCU20	SE	Plain	Reg w/o Neck		19/64	0297	13/16	081	2 1/2	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301270	GOPR4SE0313S038HA	KCU20	SE	Plain	Short w/o Neck		5/16	0313	3/8	038	2	
7300236	GOPR4SE0313S050HA	KCU20	SE	Plain	Short w/o Neck		5/16	0313	1/2	050	2	
7301269	GOPR4SE0313S050HAE	KCU20	SE	Plain	Short w/o Neck		5/16	0313	1/2	050	2 1/2	
7300237	GOPR4SE0313R075HA	KCU20	SE	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	
7301271	GOPR4SE0313R081HA	KCU20	SE	Plain	Reg w/o Neck	yes	5/16	0313	13/16	081	2 1/2	
7301272	GOPR4SE0313R113HA	KCU20	SE	Plain	Reg w/o Neck		5/16	0313	1 1/8	113	3	
7300238	GOPR4SE0313R125HA	KCU20	SE	Plain	Reg w/o Neck		5/16	0313	1 1/4	125	3 1/4	
7301273	GOPR4SE0313R163HA	KCU20	SE	Plain	Reg w/o Neck		5/16	0313	1 5/8	163	4	
7301274	GOPR4SE0328R100HA	KCU20	SE	Plain	Reg w/o Neck		21/64	0328	1	100	2 1/2	
7300239	GOPR4SE0375S050HA	KCU20	SE	Plain	Short w/o Neck	yes	3/8	0375	1/2	050	2	
7301275	GOPR4SE0375S050HAE	KCU20	SE	Plain	Short w/o Neck		3/8	0375	1/2	050	2 1/2	
7300240	GOPR4SE0375R088HA	KCU20	SE	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	
7301276	GOPR4SE0375R088HAE	KCU20	SE	Plain	Reg w/o Neck		3/8	0375	7/8	088	3	
7301277	GOPR4SE0375R100HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/8	0375	1	100	3	
7301278	GOPR4SE0375R125HA	KCU20	SE	Plain	Reg w/o Neck		3/8	0375	1 1/4	125	3	
7300241	GOPR4SE0375R150HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/8	0375	1 1/2	150	4	
7301279	GOPR4SE0375R250HA	KCU20	SE	Plain	Reg w/o Neck		3/8	0375	2 1/2	250	4	
7301280	GOPR4SE0391R100HA	KCU20	SE	Plain	Reg w/o Neck		25/64	0391	1	100	2 3/4	
7301291	GOPR4SE0406R100HA	KCU20	SE	Plain	Reg w/o Neck		13/32	0406	1	100	2 3/4	
7301292	GOPR4SE0422R100HA	KCU20	SE	Plain	Reg w/o Neck		27/64	0422	1	100	2 3/4	
7300242	GOPR4SE0438S063HA	KCU20	SE	Plain	Short w/o Neck		7/16	0438	5/8	063	2 1/2	
7301293	GOPR4SE0438S088HA	KCU20	SE	Plain	Short w/o Neck		7/16	0438	7/8	088	3	
7301294	GOPR4SE0438R100HAE	KCU20	SE	Plain	Reg w/o Neck		7/16	0438	1	100	2 3/4	
7301295	GOPR4SE0438R100HA	KCU20	SE	Plain	Reg w/o Neck		7/16	0438	1	100	3	
7301296	GOPR4SE0438R150HA	KCU20	SE	Plain	Reg w/o Neck		7/16	0438	1 1/2	150	4	
7300243	GOPR4SE0438R200HA	KCU20	SE	Plain	Reg w/o Neck		7/16	0438	2	200	4	
7301297	GOPR4SE0438R300HA	KCU20	SE	Plain	Reg w/o Neck		7/16	0438	3	300	6	
7301298	GOPR4SE0453R100HA	KCU20	SE	Plain	Reg w/o Neck		29/64	0453	1	100	3	
7301299	GOPR4SE0469R100HA	KCU20	SE	Plain	Reg w/o Neck		15/32	0469	1	100	3	
7301300	GOPR4SE0484R100HA	KCU20	SE	Plain	Reg w/o Neck		31/64	0484	1	100	3	
7301301	GOPR4SE0500S063HA	KCU20	SE	Plain	Short w/o Neck	yes	1/2	0500	5/8	063	2 1/2	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7300244	GOPR4SE0500S063HB	KCU20	SE	Weldon	Short w/o Neck		1/2	0500	5/8	063	2 1/2	
7301302	GOPR4SE0500S063HBE	KCU20	SE	Weldon	Short w/o Neck		1/2	0500	5/8	063	3	
7301303	GOPR4SE0500S063HAE	KCU20	SE	Plain	Short w/o Neck		1/2	0500	5/8	063	3	
7301304	GOPR4SE0500S063HBX	KCU20	SE	Weldon	Short w/o Neck		1/2	0500	5/8	063	6	
7301305	GOPR4SE0500S063HAX	KCU20	SE	Plain	Short w/o Neck		1/2	0500	5/8	063	6	
7301317	GOPR4SE0500S100HA	KCU20	SE	Plain	Short w/o Neck		1/2	0500	1	100	2 1/2	
7301306	GOPR4SE0500S100HB	KCU20	SE	Weldon	Short w/o Neck		1/2	0500	1	100	3	
7301307	GOPR4SE0500S100HAE	KCU20	SE	Plain	Short w/o Neck		1/2	0500	1	100	3	
7301308	GOPR4SE0500R125HB	KCU20	SE	Weldon	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	
7301309	GOPR4SE0500R125HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	
7300245	GOPR4SE0500R150HB	KCU20	SE	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	
7301310	GOPR4SE0500R150HA	KCU20	SE	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	
7301311	GOPR4SE0500R163HB	KCU20	SE	Weldon	Reg w/o Neck		1/2	0500	1 5/8	163	4	
7301312	GOPR4SE0500R163HA	KCU20	SE	Plain	Reg w/o Neck		1/2	0500	1 5/8	163	4	
7301313	GOPR4SE0500R200HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/2	0500	2	200	4	
7300246	GOPR4SE0500R200HB	KCU20	SE	Weldon	Reg w/o Neck		1/2	0500	2	200	4	
7300247	GOPR4SE0500R250HB	KCU20	SE	Weldon	Reg w/o Neck		1/2	0500	2 1/2	250	4 1/2	
7301314	GOPR4SE0500R250HA	KCU20	SE	Plain	Reg w/o Neck		1/2	0500	2 1/2	250	4 1/2	
7301316	GOPR4SE0500R300HA	KCU20	SE	Plain	Reg w/o Neck	yes	1/2	0500	3	300	5	
7301315	GOPR4SE0500R300HB	KCU20	SE	Weldon	Reg w/o Neck		1/2	0500	3	300	5	
7301318	GOPR4SE0563S075HA	KCU20	SE	Plain	Short w/o Neck		9/16	0563	3/4	075	3	
7301321	GOPR4SE0563S075HB	KCU20	SE	Weldon	Short w/o Neck		9/16	0563	3/4	075	3	
7301319	GOPR4SE0563R125HA	KCU20	SE	Plain	Reg w/o Neck		9/16	0563	1 1/4	125	3 1/2	
7301322	GOPR4SE0563R125HB	KCU20	SE	Weldon	Reg w/o Neck		9/16	0563	1 1/4	125	3 1/2	
7301320	GOPR4SE0563R225HA	KCU20	SE	Plain	Reg w/o Neck		9/16	0563	2 1/4	225	5	
7301323	GOPR4SE0563R225HB	KCU20	SE	Weldon	Reg w/o Neck		9/16	0563	2 1/4	225	5	
7300248	GOPR4SE0625S075HB	KCU20	SE	Weldon	Short w/o Neck		5/8	0625	3/4	075	3	
7301325	GOPR4SE0625S075HA	KCU20	SE	Plain	Short w/o Neck		5/8	0625	3/4	075	3	
7300249	GOPR4SE0625S125HB	KCU20	SE	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301326	GOPR4SE0625S125HA	KCU20	SE	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301327	GOPR4SE0625R163HAE	KCU20	SE	Plain	Reg w/o Neck	yes	5/8	0625	1 5/8	163	4 1/8	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7300250	GOPR4SE0625R163HBE	KCU20	SE	Weldon	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	
7301328	GOPR4SE0625R213HB	KCU20	SE	Weldon	Reg w/o Neck		5/8	0625	2 1/8	213	4	
7301329	GOPR4SE0625R213HA	KCU20	SE	Plain	Reg w/o Neck		5/8	0625	2 1/8	213	4	
7301330	GOPR4SE0625R225HB	KCU20	SE	Weldon	Reg w/o Neck		5/8	0625	2 1/4	225	5	
7301331	GOPR4SE0625R225HA	KCU20	SE	Plain	Reg w/o Neck		5/8	0625	2 1/4	225	5	
7301324	GOPR4SE0625R300HA	KCU20	SE	Plain	Reg w/o Neck		5/8	0625	3	300	5 1/4	
7301332	GOPR4SE0625R300HB	KCU20	SE	Weldon	Reg w/o Neck		5/8	0625	3	300	5 1/4	
7300251	GOPR4SE0750S088HB	KCU20	SE	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	
7301333	GOPR4SE0750S088HA	KCU20	SE	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	
7301336	GOPR4SE0750N100HB	KCU20	SE	Weldon	Neck		3/4	0750	1	100	5 1/4	
7301334	GOPR4SE0750S100HB	KCU20	SE	Weldon	Short w/o Neck		3/4	0750	1	100	6	
7301335	GOPR4SE0750S100HA	KCU20	SE	Plain	Short w/o Neck		3/4	0750	1	100	6	
7300252	GOPR4SE0750S150HB	KCU20	SE	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	
7301337	GOPR4SE0750S150HA	KCU20	SE	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	
7301339	GOPR4SE0750R163HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/4	0750	1 5/8	163	4	
7301338	GOPR4SE0750R163HB	KCU20	SE	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	
7301340	GOPR4SE0750R225HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/4	0750	2 1/4	225	5	
7300253	GOPR4SE0750R225HB	KCU20	SE	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	
7301351	GOPR4SE0750R300HA	KCU20	SE	Plain	Reg w/o Neck	yes	3/4	0750	3	300	6	
7300254	GOPR4SE0750R300HB	KCU20	SE	Weldon	Reg w/o Neck		3/4	0750	3	300	6	
7301352	GOPR4SE0750R400HB	KCU20	SE	Weldon	Reg w/o Neck		3/4	0750	4	400	6 1/4	
7301353	GOPR4SE0750R400HA	KCU20	SE	Plain	Reg w/o Neck		3/4	0750	4	400	6 1/4	
7301354	GOPR4SE0813S150HA	KCU20	SE	Plain	Short w/o Neck		13/16	0813	1 1/2	150	4	
7301355	GOPR4SE0875S150HA	KCU20	SE	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	
7301357	GOPR4SE0875S150HB	KCU20	SE	Weldon	Short w/o Neck		7/8	0875	1 1/2	150	4	
7301356	GOPR4SE0875R225HA	KCU20	SE	Plain	Reg w/o Neck		7/8	0875	2 1/4	225	5	
7301358	GOPR4SE0875R225HB	KCU20	SE	Weldon	Reg w/o Neck		7/8	0875	2 1/4	225	5	
7300255	GOPR4SE1000S150HB	KCU20	SE	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	
7301359	GOPR4SE1000S200HB	KCU20	SE	Weldon	Short w/o Neck		1	1000	2	200	4 1/2	
7300256	GOPR4SE1000S200HBE	KCU20	SE	Weldon	Short w/o Neck		1	1000	2	200	5	
7301360	GOPR4SE1000R225HB	KCU20	SE	Weldon	Reg w/o Neck		1	1000	2 1/4	225	5	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301361	GOPR4SE1000R263HB	KCU20	SE	Weldon	Reg w/o Neck		1	1000	2 5/8	263	5	
7301362	GOPR4SE1000R300HA	KCU20	SE	Plain	Reg w/o Neck	yes	1	1000	3	300	6	
7300257	GOPR4SE1000R300HB	KCU20	SE	Weldon	Reg w/o Neck		1	1000	3	300	6	
7300258	GOPR4SE1000R400HB	KCU20	SE	Weldon	Reg w/o Neck		1	1000	4	400	7	
7301363	GOPR4SE1250S225HA	KCU20	SE	Plain	Short w/o Neck		1 1/4	1250	2 1/4	225	5	
7301364	GOPR4SE1250S225HB	KCU20	SE	Weldon	Short w/o Neck		1 1/4	1250	2 1/4	225	5	
7301737	GOPR4RA0094R038HAR010	KCU20	RA	Plain	Reg w/o Neck		3/32	0094	3/8	038	1 1/2	010
7301736	GOPR4RA0094R038HAR015	KCU20	RA	Plain	Reg w/o Neck		3/32	0094	3/8	038	1 1/2	015
7300260	GOPR4RA0125S025HAR015	KCU20	RA	Plain	Short w/o Neck		1/8	0125	1/4	025	1 1/2	015
7301772	GOPR4RA0125S025HAR015E	KCU20	RA	Plain	Short w/o Neck		1/8	0125	1/4	025	2 1/2	015
7301771	GOPR4RA0125R050HAR010	KCU20	RA	Plain	Reg w/o Neck		1/8	0125	1/2	050	1 1/2	010
7301740	GOPR4RA0125R050HAR015	KCU20	RA	Plain	Reg w/o Neck		1/8	0125	1/2	050	1 1/2	015
7301739	GOPR4RA0125R050HAR020	KCU20	RA	Plain	Reg w/o Neck		1/8	0125	1/2	050	1 1/2	020
7301738	GOPR4RA0125R050HAR030	KCU20	RA	Plain	Reg w/o Neck		1/8	0125	1/2	050	1 1/2	030
7300259	GOPR4RA0125R050HAR015E	KCU20	RA	Plain	Reg w/o Neck		1/8	0125	1/2	050	2	015
7300264	GOPR4RA0188S031HAR015	KCU20	RA	Plain	Short w/o Neck		3/16	0188	5/16	031	2	015
7300263	GOPR4RA0188S031HAR030	KCU20	RA	Plain	Short w/o Neck		3/16	0188	5/16	031	2	030
7301778	GOPR4RA0188S031HAR015E	KCU20	RA	Plain	Short w/o Neck		3/16	0188	5/16	031	2 1/2	015
7301774	GOPR4RA0188R063HAR020	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2	20
7301776	GOPR4RA0188R063HAR010	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2	010
7301775	GOPR4RA0188R063HAR015	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2	015
7301773	GOPR4RA0188R063HAR030	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2	030
7300262	GOPR4RA0188R063HAR015E	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/4	015
7300261	GOPR4RA0188R063HAR030X	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/4	030
7301777	GOPR4RA0188R063HAR030E	KCU20	RA	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/2	030
7300270	GOPR4RA0250S038HAR030	KCU20	RA	Plain	Short w/o Neck		1/4	0250	3/8	038	2	030
7301785	GOPR4RA0250S038HAR015	KCU20	RA	Plain	Short w/o Neck		1/4	0250	3/8	038	2 1/2	015
7301787	GOPR4RA0250N038HAR015	KCU20	RA	Plain	Neck		1/4	0250	3/8	038	4	015
7301786	GOPR4RA0250N038HAR030	KCU20	RA	Plain	Neck		1/4	0250	3/8	038	4	030
7301784	GOPR4RA0250S050HAR015	KCU20	RA	Plain	Short w/o Neck		1/4	0250	1/2	050	2 1/2	015
7301783	GOPR4RA0250S050HAR030	KCU20	RA	Plain	Short w/o Neck		1/4	0250	1/2	050	2 1/2	030

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301782	GOPR4RA0250S050HAR060	KCU20	RA	Plain	Short w/o Neck		1/4	0250	1/2	050	2 1/2	060
7300269	GOPR4RA0250R075HAR015	KCU20	RA	Plain	Reg w/o Neck	yes	1/4	0250	3/4	075	2 1/2	015
7300268	GOPR4RA0250R075HAR030	KCU20	RA	Plain	Reg w/o Neck	yes	1/4	0250	3/4	075	2 1/2	030
7300267	GOPR4RA0250R075HAR060	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	3/4	075	2 1/2	060
7301781	GOPR4RA0250R100HAR015	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	1	100	3	015
7300266	GOPR4RA0250R125HAR015	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	1 1/4	125	3 1/4	015
7300265	GOPR4RA0250R125HAR030	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	1 1/4	125	3 1/4	030
7301780	GOPR4RA0250R175HAR015	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	1 3/4	175	4	015
7301779	GOPR4RA0250R175HAR030	KCU20	RA	Plain	Reg w/o Neck		1/4	0250	1 3/4	175	4	030
7300285	GOPR4RA0313S050HAR030	KCU20	RA	Plain	Short w/o Neck		5/16	0313	1/2	050	2	030
7301803	GOPR4RA0313S050HAR015	KCU20	RA	Plain	Short w/o Neck		5/16	0313	1/2	050	2 1/2	015
7300284	GOPR4RA0313R075HAR015	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	015
7300283	GOPR4RA0313R075HAR030	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	030
7300282	GOPR4RA0313R075HAR060	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	060
7301802	GOPR4RA0313R081HAR015	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	13/16	081	2 1/2	015
7301801	GOPR4RA0313R081HAR020	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	13/16	081	2 1/2	020
7301790	GOPR4RA0313R081HAR030	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	13/16	081	2 1/2	030
7301789	GOPR4RA0313R081HAR045	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	13/16	081	2 1/2	045
7301788	GOPR4RA0313R081HAR060	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	13/16	081	2 1/2	060
7300281	GOPR4RA0313R125HAR030	KCU20	RA	Plain	Reg w/o Neck		5/16	0313	1 1/4	125	3 1/4	030
7300294	GOPR4RA0375S050HAR015	KCU20	RA	Plain	Short w/o Neck		3/8	0375	1/2	050	2	015
7300293	GOPR4RA0375S050HAR030	KCU20	RA	Plain	Short w/o Neck		3/8	0375	1/2	050	2	030
7300292	GOPR4RA0375S050HAR060	KCU20	RA	Plain	Short w/o Neck		3/8	0375	1/2	050	2	060
7301815	GOPR4RA0375S050HAR015E	KCU20	RA	Plain	Short w/o Neck		3/8	0375	1/2	050	2 1/2	015
7301814	GOPR4RA0375S050HAR030E	KCU20	RA	Plain	Short w/o Neck		3/8	0375	1/2	050	2 1/2	030
7301816	GOPR4RA0375N050HAR030	KCU20	RA	Plain	Neck		3/8	0375	1/2	050	4	030
7301817	GOPR4RA0375E050HAR030	KCU20	RA	Plain	Extended Neck		3/8	0375	1/2	050	4	030
7300291	GOPR4RA0375R088HAR015	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	015
7300290	GOPR4RA0375R088HAR030	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	030
7300289	GOPR4RA0375R088HAR060	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	060
7300288	GOPR4RA0375R088HAR090	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	090

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301813	GOPR4RA0375R088HAR015E	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	3	015
7301812	GOPR4RA0375R088HAR030E	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	3	030
7301811	GOPR4RA0375R088HAR090E	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	7/8	088	3	090
7301810	GOPR4RA0375R100HAR015	KCU20	RA	Plain	Reg w/o Neck	yes	3/8	0375	1	100	3	015
7301809	GOPR4RA0375R100HAR030	KCU20	RA	Plain	Reg w/o Neck	yes	3/8	0375	1	100	3	030
7301808	GOPR4RA0375R100HAR060	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1	100	3	060
7301807	GOPR4RA0375R125HAR015	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1 1/4	125	3	015
7301806	GOPR4RA0375R125HAR030	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1 1/4	125	3	030
7301805	GOPR4RA0375R125HAR060	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1 1/4	125	3	060
7300287	GOPR4RA0375R150HAR030	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1 1/2	150	4	030
7300286	GOPR4RA0375R150HAR060	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	1 1/2	150	4	060
7301804	GOPR4RA0375R250HAR030	KCU20	RA	Plain	Reg w/o Neck		3/8	0375	2 1/2	250	4	030
7301818	GOPR4RA0438R113HAR015	KCU20	RA	Plain	Reg w/o Neck		7/16	0438	1 1/8	113	3 1/2	015
7300300	GOPR4RA0500S063HBR015	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	5/8	063	2 1/2	015
7301850	GOPR4RA0500S063HAR015	KCU20	RA	Plain	Short w/o Neck		1/2	0500	5/8	063	2 1/2	015
7300299	GOPR4RA0500S063HBR030	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	5/8	063	2 1/2	030
7301849	GOPR4RA0500S063HAR030	KCU20	RA	Plain	Short w/o Neck		1/2	0500	5/8	063	2 1/2	030
7300298	GOPR4RA0500S063HBR060	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	5/8	063	2 1/2	060
7301848	GOPR4RA0500S063HAR060	KCU20	RA	Plain	Short w/o Neck		1/2	0500	5/8	063	2 1/2	060
7301846	GOPR4RA0500S063HAR015E	KCU20	RA	Plain	Short w/o Neck		1/2	0500	5/8	063	3	015
7301847	GOPR4RA0500S063HBR015E	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	5/8	063	3	015
7301844	GOPR4RA0500S063HAR030E	KCU20	RA	Plain	Short w/o Neck		1/2	0500	5/8	063	3	030
7301845	GOPR4RA0500S063HBR030E	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	5/8	063	3	030
7301851	GOPR4RA0500N063HAR030	KCU20	RA	Plain	Neck		1/2	0500	5/8	063	4	030
7301852	GOPR4RA0500N063HBR030	KCU20	RA	Weldon	Neck		1/2	0500	5/8	063	4	030
7301842	GOPR4RA0500S100HAR030	KCU20	RA	Plain	Short w/o Neck		1/2	0500	1	100	3	030
7301843	GOPR4RA0500S100HBR030	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	1	100	3	030
7301830	GOPR4RA0500S100HAR060	KCU20	RA	Plain	Short w/o Neck		1/2	0500	1	100	3	060
7301841	GOPR4RA0500S100HBR060	KCU20	RA	Weldon	Short w/o Neck		1/2	0500	1	100	3	060
7301828	GOPR4RA0500R125HAR015	KCU20	RA	Plain	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	015
7301829	GOPR4RA0500R125HBR015	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	015

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose													
KMT EDP			Front	Shank	Flute Section	On	Cutting	Cutting	LOC	LOC			
#	ANSI	Grade	End Style	Style	Description	TKS	Dia	Dia	(fraction)	(decimal)	OAL	Radius	
7301826	GOPR4RA0500R125HAR030	KCU20	RA	Plain	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	030	
7301827	GOPR4RA0500R125HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	500	1 1/4	125	3 1/4	030	
7301824	GOPR4RA0500R125HAR060	KCU20	RA	Plain	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	060	
7301825	GOPR4RA0500R125HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	060	
7301820	GOPR4RA0500R125HAR090	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	090	
7301821	GOPR4RA0500R125HBR090	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	090	
7301822	GOPR4RA0500R125HAR120	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	120	
7301823	GOPR4RA0500R125HBR120	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	120	
7300296	GOPR4RA0500R150HBR015	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	015	
7301819	GOPR4RA0500R150HAR015	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	015	
7300295	GOPR4RA0500R150HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	030	
7301883	GOPR4RA0500R150HAR030	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	030	
7300297	GOPR4RA0500R150HBR045	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	045	
7300306	GOPR4RA0500R150HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	060	
7301881	GOPR4RA0500R150HAR060	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	060	
7300305	GOPR4RA0500R150HBR090	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	090	
7300307	GOPR4RA0500R150HBR120	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	120	
7301882	GOPR4RA0500R150HAR120	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	120	
7301879	GOPR4RA0500R163HAR030	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 5/8	163	4	030	
7301880	GOPR4RA0500R163HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 5/8	163	4	030	
7301877	GOPR4RA0500R163HAR060	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 5/8	163	4	060	
7301878	GOPR4RA0500R163HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 5/8	163	4	060	
7301875	GOPR4RA0500R163HAR120	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	1 5/8	163	4	120	
7301876	GOPR4RA0500R163HBR120	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	1 5/8	163	4	120	
7301874	GOPR4RA0500R200HAR030	KCU20	RA	Plain	Reg w/o Neck	yes	1/2	0500	2	200	4	030	
7300304	GOPR4RA0500R200HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	2	200	4	030	
7300303	GOPR4RA0500R200HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	2	200	4	060	
7301872	GOPR4RA0500R200HAR060	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	2	200	4	060	
7301873	GOPR4RA0500R200HAR030E	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	2	200	4 1/2	030	
7300302	GOPR4RA0500R250HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	2 1/2	250	4 1/2	030	
7301871	GOPR4RA0500R250HAR030	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	2 1/2	250	4 1/2	030	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose													
KMT EDP			Front	Shank	Flute Section	On	Cutting	Cutting	LOC	LOC			
#	ANSI	Grade	End Style	Style	Description	TKS	Dia	Dia	(fraction)	(decimal)	OAL	Radius	
						Promo	(fraction)	(decimal)					
7301859	GOPR4RA0500R250HAR060	KCU20	RA	Plain	Reg w/o Neck	yes	1/2	0500	2 1/2	250	4 1/2	060	
7300301	GOPR4RA0500R250HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	2 1/2	250	4 1/2	060	
7301857	GOPR4RA0500R250HAR030E	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	2 1/2	250	5	030	
7301858	GOPR4RA0500R250HBR030E	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	2 1/2	250	5	030	
7301855	GOPR4RA0500R300HAR030	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	3	300	5	030	
7301856	GOPR4RA0500R300HBR030	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	3	300	5	030	
7301853	GOPR4RA0500R300HAR060	KCU20	RA	Plain	Reg w/o Neck		1/2	0500	3	300	5	060	
7301854	GOPR4RA0500R300HBR060	KCU20	RA	Weldon	Reg w/o Neck		1/2	0500	3	300	5	060	
7300326	GOPR4RA0625S075HBR060	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	3/4	075	3	060	
7301906	GOPR4RA0625S075HAR060	KCU20	RA	Plain	Short w/o Neck		5/8	0625	3/4	075	3	060	
7301904	GOPR4RA0625S075HAR015	KCU20	RA	Plain	Short w/o Neck		5/8	0625	3/4	075	3 1/2	015	
7301905	GOPR4RA0625S075HBR015	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	3/4	075	3 1/2	015	
7301902	GOPR4RA0625S075HAR030	KCU20	RA	Plain	Short w/o Neck		5/8	0625	3/4	075	3 1/2	030	
7301903	GOPR4RA0625S075HBR030	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	3/4	075	3 1/2	030	
7301900	GOPR4RA0625S075HAR060E	KCU20	RA	Plain	Short w/o Neck		5/8	0625	3/4	075	3 1/2	060	
7301901	GOPR4RA0625S075HBR060E	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	3/4	075	3 1/2	060	
7300325	GOPR4RA0625S125HBR030	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	030	
7301899	GOPR4RA0625S125HAR030	KCU20	RA	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	030	
7300324	GOPR4RA0625S125HBR060	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	060	
7301898	GOPR4RA0625S125HAR060	KCU20	RA	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	060	
7300323	GOPR4RA0625S125HBR090	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	090	
7301897	GOPR4RA0625S125HAR090	KCU20	RA	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	090	
7300322	GOPR4RA0625S125HBR120	KCU20	RA	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	120	
7301896	GOPR4RA0625S125HAR120	KCU20	RA	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	120	
7301895	GOPR4RA0625R163HAR030E	KCU20	RA	Plain	Reg w/o Neck	yes	5/8	0625	1 5/8	163	4 1/8	030	
7300321	GOPR4RA0625R163HBR030E	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	030	
7300310	GOPR4RA0625R163HBR060E	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	060	
7301894	GOPR4RA0625R163HAR060E	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	060	
7300309	GOPR4RA0625R163HBR120E	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	120	
7301893	GOPR4RA0625R163HAR120	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	120	
7301769	GOPR4RA0625R213HAR030	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	2 1/8	213	4	030	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP			Front	Shank	Flute Section	On	Cutting	Cutting	LOC	LOC		
#	ANSI	Grade	End Style	Style	Description	TKS	Dia	Dia	(fraction)	(decimal)	OAL	Radius
						Promo	(fraction)	(decimal)				
7301892	GOPR4RA0625R213HBR030	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	2 1/8	213	4	030
7301768	GOPR4RA0625R213HAR060	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	2 1/8	213	4	060
7301891	GOPR4RA0625R213HBR060	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	2 1/8	213	4	060
7301767	GOPR4RA0625R213HAR120	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	2 1/8	213	4	120
7301770	GOPR4RA0625R213HBR120	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	2 1/8	213	4	120
7300308	GOPR4RA0625R225HBR060	KCU20	RA	Weldon	Reg w/o Neck		5/8	0625	2 1/4	225	5	060
7301766	GOPR4RA0625R225HAR060	KCU20	RA	Plain	Reg w/o Neck		5/8	0625	2 1/4	225	5	060
7300353	GOPR4RA0750S088HBR030	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	030
7301947	GOPR4RA0750S088HAR030	KCU20	RA	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	030
7300352	GOPR4RA0750S088HBR060	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	060
7301946	GOPR4RA0750S088HAR060	KCU20	RA	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	060
7300351	GOPR4RA0750S088HBR090	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	090
7301945	GOPR4RA0750S088HAR090	KCU20	RA	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	090
7300350	GOPR4RA0750S088HBR120	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	120
7301944	GOPR4RA0750S088HAR120	KCU20	RA	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	120
7301940	GOPR4RA0750S088HAR030E	KCU20	RA	Plain	Short w/o Neck		3/4	0750	7/8	088	4	030
7301941	GOPR4RA0750S088HBR030E	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	7/8	088	4	030
7301948	GOPR4RA0750N100HAR030	KCU20	RA	Plain	Neck		3/4	0750	1	100	5 1/4	030
7301949	GOPR4RA0750N100HBR030	KCU20	RA	Weldon	Neck		3/4	0750	1	100	5 1/4	030
7301952	GOPR4RA0750N100HAR060	KCU20	RA	Plain	Neck		3/4	0750	1	100	5 1/4	060
7301955	GOPR4RA0750N100HBR060	KCU20	RA	Weldon	Neck		3/4	0750	1	100	5 1/4	060
7301951	GOPR4RA0750N100HAR090	KCU20	RA	Plain	Neck		3/4	0750	1	100	5 1/4	090
7301954	GOPR4RA0750N100HBR090	KCU20	RA	Weldon	Neck		3/4	0750	1	100	5 1/4	090
7301950	GOPR4RA0750N100HAR120	KCU20	RA	Plain	Neck		3/4	0750	1	100	5 1/4	120
7301953	GOPR4RA0750N100HBR120	KCU20	RA	Weldon	Neck		3/4	0750	1	100	5 1/4	120
7300349	GOPR4RA0750S150HBR015	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	015
7301939	GOPR4RA0750S150HAR015	KCU20	RA	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	015
7300348	GOPR4RA0750S150HBR030	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	030
7301938	GOPR4RA0750S150HAR030	KCU20	RA	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	030
7300347	GOPR4RA0750S150HBR060	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	060
7301937	GOPR4RA0750S150HAR060	KCU20	RA	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	060

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7300345	GOPR4RA0750S150HBR090	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	090
7301935	GOPR4RA0750S150HAR090	KCU20	RA	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	090
7300346	GOPR4RA0750S150HBR120	KCU20	RA	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	120
7301936	GOPR4RA0750S150HAR120	KCU20	RA	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	120
7301933	GOPR4RA0750R163HAR030	KCU20	RA	Plain	Reg w/o Neck	yes	3/4	0750	1 5/8	163	4	030
7301934	GOPR4RA0750R163HBR030	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	030
7301931	GOPR4RA0750R163HAR060	KCU20	RA	Plain	Reg w/o Neck	yes	3/4	0750	1 5/8	163	4	060
7301932	GOPR4RA0750R163HBR060	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	060
7301929	GOPR4RA0750R163HAR090	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	1 5/8	163	4	090
7301930	GOPR4RA0750R163HBR090	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	090
7301927	GOPR4RA0750R163HAR120	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	1 5/8	163	4	120
7301928	GOPR4RA0750R163HBR120	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	120
7300344	GOPR4RA0750R225HBR030	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	030
7301925	GOPR4RA0750R225HAR030	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	2 1/4	225	5	030
7300343	GOPR4RA0750R225HBR060	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	060
7301924	GOPR4RA0750R225HAR060	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	2 1/4	225	5	060
7300342	GOPR4RA0750R225HBR090	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	090
7301923	GOPR4RA0750R225HAR090	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	2 1/4	225	5	090
7300341	GOPR4RA0750R225HBR120	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	120
7301922	GOPR4RA0750R225HAR120	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	2 1/4	225	5	120
7300330	GOPR4RA0750R300HBR030	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	3	300	6	030
7301921	GOPR4RA0750R300HAR030	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	3	300	6	030
7300329	GOPR4RA0750R300HBR060	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	3	300	6	060
7301920	GOPR4RA0750R300HAR060	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	3	300	6	060
7300328	GOPR4RA0750R300HBR090	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	3	300	6	090
7301919	GOPR4RA0750R300HAR090	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	3	300	6	090
7300327	GOPR4RA0750R300HBR120	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	3	300	6	120
7301918	GOPR4RA0750R300HAR120	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	3	300	6	120
7301915	GOPR4RA0750R400HAR030	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	4	400	6 1/4	030
7301916	GOPR4RA0750R400HBR030	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	4	400	6 1/4	030
7301913	GOPR4RA0750R400HAR060	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	4	400	6 1/4	060

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301914	GOPR4RA0750R400HBR060	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	4	400	6 1/4	060
7301911	GOPR4RA0750R400HAR090	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	4	400	6 1/4	090
7301912	GOPR4RA0750R400HBR090	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	4	400	6 1/4	090
7301907	GOPR4RA0750R400HAR120	KCU20	RA	Plain	Reg w/o Neck		3/4	0750	4	400	6 1/4	120
7301908	GOPR4RA0750R400HBR120	KCU20	RA	Weldon	Reg w/o Neck		3/4	0750	4	400	6 1/4	120
7301961	GOPR4RA0875S150HAR015	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	015
7301960	GOPR4RA0875S150HAR020	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	020
7301959	GOPR4RA0875S150HAR030	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	030
7301958	GOPR4RA0875S150HAR060	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	060
7301957	GOPR4RA0875S150HAR090	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	090
7301956	GOPR4RA0875S150HAR120	KCU20	RA	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	120
7300363	GOPR4RA1000S150HBR030	KCU20	RA	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	030
7301969	GOPR4RA1000S150HAR030	KCU20	RA	Plain	Short w/o Neck		1	1000	1 1/2	150	4	030
7300362	GOPR4RA1000S150HBR060	KCU20	RA	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	060
7300361	GOPR4RA1000S150HBR090	KCU20	RA	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	090
7300360	GOPR4RA1000S150HBR120	KCU20	RA	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	120
7300359	GOPR4RA1000S150HBR250	KCU20	RA	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	250
7301967	GOPR4RA1000S200HBR030	KCU20	RA	Weldon	Short w/o Neck		1	1000	2	200	4 1/2	030
7301968	GOPR4RA1000S200HAR030	KCU20	RA	Plain	Short w/o Neck		1	1000	2	200	4 1/2	030
7301966	GOPR4RA1000S200HBR060	KCU20	RA	Weldon	Short w/o Neck		1	1000	2	200	4 1/2	060
7301965	GOPR4RA1000S200HBR120	KCU20	RA	Weldon	Short w/o Neck		1	1000	2	200	4 1/2	120
7300358	GOPR4RA1000S200HBR030E	KCU20	RA	Weldon	Short w/o Neck		1	1000	2	200	5	030
7301964	GOPR4RA1000R225HBR030	KCU20	RA	Weldon	Reg w/o Neck		1	1000	2 1/4	225	5	030
7301963	GOPR4RA1000R225HBR060	KCU20	RA	Weldon	Reg w/o Neck		1	1000	2 1/4	225	5	060
7301962	GOPR4RA1000R263HBR030	KCU20	RA	Weldon	Reg w/o Neck		1	1000	2 5/8	263	5	030
7300357	GOPR4RA1000R300HBR030	KCU20	RA	Weldon	Reg w/o Neck		1	1000	3	300	6	030
7300356	GOPR4RA1000R300HBR060	KCU20	RA	Weldon	Reg w/o Neck		1	1000	3	300	6	060
7300355	GOPR4RA1000R400HBR030	KCU20	RA	Weldon	Reg w/o Neck		1	1000	4	400	7	030
7300354	GOPR4RA1000R400HBR060	KCU20	RA	Weldon	Reg w/o Neck		1	1000	4	400	7	060
7301973	GOPR4RA1250S225HBR030	KCU20	RA	Weldon	Short w/o Neck		1 1/4	1250	2 1/4	225	5	030
7301972	GOPR4RA1250S225HAR060	KCU20	RA	Plain	Short w/o Neck		1 1/4	1250	2 1/4	225	5	060

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301971	GOPR4RA1250S225HAR090	KCU20	RA	Plain	Short w/o Neck		1 1/4	1250	2 1/4	225	5	090
7301970	GOPR4RA1250S225HAR120	KCU20	RA	Plain	Short w/o Neck		1 1/4	1250	2 1/4	225	5	120
7300365	GOPR4CH0125S025HA	KCU20	CH	Plain	Short w/o Neck		1/8	0125	1/4	025	1 1/2	
7300364	GOPR4CH0125L050HA	KCU20	CH	Plain	Long w/o Neck		1/8	0125	1/2	050	2	
7300949	GOPR4CH0125X075HA	KCU20	CH	Plain	Extre Long w/o Neck		1/8	0125	3/4	075	2 1/4	
7300948	GOPR4CH0125X100HA	KCU20	CH	Plain	Extre Long w/o Neck		1/8	0125	1	100	3	
7300950	GOPR4CH0156L056HA	KCU20	CH	Plain	Long w/o Neck		5/32	0156	9/16	056	2	
7301032	GOPR4CH0188S031HA	KCU20	CH	Plain	Short w/o Neck		3/16	0188	5/16	031	2	
7300366	GOPR4CH0188R063HA	KCU20	CH	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/4	
7301031	GOPR4CH0188L075HA	KCU20	CH	Plain	Long w/o Neck		3/16	0188	3/4	075	2 1/2	
7301033	GOPR4CH0219R063HA	KCU20	CH	Plain	Reg w/o Neck		7/32	0219	5/8	063	2 1/2	
7300368	GOPR4CH0250S038HA	KCU20	CH	Plain	Short w/o Neck		1/4	0250	3/8	038	2	
7300367	GOPR4CH0250R075HA	KCU20	CH	Plain	Reg w/o Neck	yes	1/4	0250	3/4	075	2 1/2	
7300370	GOPR4CH0313S050HA	KCU20	CH	Plain	Short w/o Neck		5/16	0313	1/2	050	2	
7300369	GOPR4CH0313R075HA	KCU20	CH	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	
7300382	GOPR4CH0375S050HA	KCU20	CH	Plain	Short w/o Neck		3/8	0375	1/2	050	2	
7300381	GOPR4CH0375R088HA	KCU20	CH	Plain	Reg w/o Neck	yes	3/8	0375	7/8	088	2 1/2	
7300383	GOPR4CH0438S063HA	KCU20	CH	Plain	Short w/o Neck		7/16	0438	5/8	063	2 1/2	
7301034	GOPR4CH0438S088HA	KCU20	CH	Plain	Short w/o Neck		7/16	0438	7/8	088	3	
7300386	GOPR4CH0500S063HB	KCU20	CH	Weldon	Short w/o Neck		1/2	0500	5/8	063	2 1/2	
7301041	GOPR4CH0500S063HA	KCU20	CH	Plain	Short w/o Neck		1/2	0500	5/8	063	2 1/2	
7301039	GOPR4CH0500S100HA	KCU20	CH	Plain	Short w/o Neck		1/2	0500	1	100	3	
7301040	GOPR4CH0500S100HB	KCU20	CH	Weldon	Short w/o Neck		1/2	0500	1	100	3	
7301037	GOPR4CH0500R125HA	KCU20	CH	Plain	Reg w/o Neck	yes	1/2	0500	1 1/4	125	3 1/4	
7301038	GOPR4CH0500R125HB	KCU20	CH	Weldon	Reg w/o Neck		1/2	0500	1 1/4	125	3 1/4	
7300385	GOPR4CH0500R150HB	KCU20	CH	Weldon	Reg w/o Neck		1/2	0500	1 1/2	150	4	
7301036	GOPR4CH0500R150HA	KCU20	CH	Plain	Reg w/o Neck		1/2	0500	1 1/2	150	4	
7300384	GOPR4CH0500L200HB	KCU20	CH	Weldon	Long w/o Neck		1/2	0500	2	200	4	
7301035	GOPR4CH0500L200HA	KCU20	CH	Plain	Long w/o Neck		1/2	0500	2	200	4	
7300389	GOPR4CH0625S075HB	KCU20	CH	Weldon	Short w/o Neck		5/8	0625	3/4	075	3	
7301048	GOPR4CH0625S075HA	KCU20	CH	Plain	Short w/o Neck		5/8	0625	3/4	075	3	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301046	GOPR4CH0625S075HAE	KCU20	CH	Plain	Short w/o Neck		5/8	0625	3/4	075	6	
7301047	GOPR4CH0625S075HBE	KCU20	CH	Weldon	Short w/o Neck		5/8	0625	3/4	075	6	
7300388	GOPR4CH0625S125HB	KCU20	CH	Weldon	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301045	GOPR4CH0625S125HA	KCU20	CH	Plain	Short w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301044	GOPR4CH0625R163HA	KCU20	CH	Plain	Reg w/o Neck	yes	5/8	0625	1 5/8	163	4 1/8	
7300387	GOPR4CH0625R163HB	KCU20	CH	Weldon	Reg w/o Neck		5/8	0625	1 5/8	163	4 1/8	
7301042	GOPR4CH0625L225HA	KCU20	CH	Plain	Long w/o Neck		5/8	0625	2 1/4	225	5	
7301043	GOPR4CH0625L225HB	KCU20	CH	Weldon	Long w/o Neck		5/8	0625	2 1/4	225	5	
7300403	GOPR4CH0750S088HB	KCU20	CH	Weldon	Short w/o Neck		3/4	0750	7/8	088	3 1/2	
7301056	GOPR4CH0750S088HA	KCU20	CH	Plain	Short w/o Neck		3/4	0750	7/8	088	3 1/2	
7301054	GOPR4CH0750S100HA	KCU20	CH	Plain	Short w/o Neck		3/4	0750	1	100	6	
7301055	GOPR4CH0750S100HB	KCU20	CH	Weldon	Short w/o Neck		3/4	0750	1	100	6	
7300402	GOPR4CH0750S150HB	KCU20	CH	Weldon	Short w/o Neck		3/4	0750	1 1/2	150	4	
7301053	GOPR4CH0750S150HA	KCU20	CH	Plain	Short w/o Neck		3/4	0750	1 1/2	150	4	
7301051	GOPR4CH0750R163HA	KCU20	CH	Plain	Reg w/o Neck	yes	3/4	0750	1 5/8	163	4	
7301052	GOPR4CH0750R163HB	KCU20	CH	Weldon	Reg w/o Neck		3/4	0750	1 5/8	163	4	
7300401	GOPR4CH0750R225HB	KCU20	CH	Weldon	Reg w/o Neck		3/4	0750	2 1/4	225	5	
7301050	GOPR4CH0750R225HA	KCU20	CH	Plain	Reg w/o Neck		3/4	0750	2 1/4	225	5	
7300390	GOPR4CH0750L300HB	KCU20	CH	Weldon	Long w/o Neck		3/4	0750	3	300	6	
7301049	GOPR4CH0750L300HA	KCU20	CH	Plain	Long w/o Neck		3/4	0750	3	300	6	
7300407	GOPR4CH1000S150HB	KCU20	CH	Weldon	Short w/o Neck		1	1000	1 1/2	150	4	
7300406	GOPR4CH1000S200HB	KCU20	CH	Weldon	Short w/o Neck		1	1000	2	200	5	
7301058	GOPR4CH1000R225HB	KCU20	CH	Weldon	Reg w/o Neck		1	1000	2 1/4	225	5	
7301057	GOPR4CH1000R263HB	KCU20	CH	Weldon	Reg w/o Neck		1	1000	2 5/8	263	5	
7300405	GOPR4CH1000R300HB	KCU20	CH	Weldon	Reg w/o Neck		1	1000	3	300	6	
7300404	GOPR4CH1000L400HB	KCU20	CH	Weldon	Long w/o Neck		1	1000	4	400	7	
7301059	GOPR4CH1250S225HB	KCU20	CH	Weldon	Short w/o Neck		1 1/4	1250	2 1/4	225	5	
7301201	GOPR4BN0078S019HA	KCU20	BN	Plain	Short w/o Neck		5/64	0078	3/16	019	1 1/2	
7301203	GOPR4BN0094S019HA	KCU20	BN	Plain	Short w/o Neck		3/32	0094	3/16	019	1 1/2	
7301202	GOPR4BN0094S038HA	KCU20	BN	Plain	Short w/o Neck		3/32	0094	3/8	038	1 1/2	
7301204	GOPR4BN0109S038HA	KCU20	BN	Plain	Short w/o Neck		7/64	0109	3/8	038	1 1/2	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP			Front	Shank	Flute Section	On	Cutting	Cutting	LOC	LOC		
#	ANSI	Grade	End Style	Style	Description	TKS	Dia	Dia	(fraction)	(decimal)	OAL	Radius
						Promo	(fraction)	(decimal)				
7300408	GOPR4BN0125R050HA	KCU20	BN	Plain	Reg w/o Neck		1/8	0125	1/2	050	2	
7301205	GOPR4BN0141S056HA	KCU20	BN	Plain	Short w/o Neck		9/64	0141	9/16	056	2	
7301206	GOPR4BN0156S031HA	KCU20	BN	Plain	Short w/o Neck		5/32	0156	5/16	031	2	
7301207	GOPR4BN0172S063HA	KCU20	BN	Plain	Short w/o Neck		11/64	0172	5/8	063	2	
7301210	GOPR4BN0188S031HA	KCU20	BN	Plain	Short w/o Neck		3/16	0188	5/16	031	2	
7300409	GOPR4BN0188R063HA	KCU20	BN	Plain	Reg w/o Neck		3/16	0188	5/8	063	2 1/4	
7301209	GOPR4BN0188S075HA	KCU20	BN	Plain	Short w/o Neck		3/16	0188	3/4	075	2 1/2	
7301208	GOPR4BN0188S100HA	KCU20	BN	Plain	Short w/o Neck		3/16	0188	1	100	2 1/2	
7301211	GOPR4BN0203S063HA	KCU20	BN	Plain	Short w/o Neck		13/64	0203	5/8	063	2 1/2	
7301212	GOPR4BN0219S063HA	KCU20	BN	Plain	Short w/o Neck		7/32	0219	5/8	063	2 1/2	
7301213	GOPR4BN0234S075HA	KCU20	BN	Plain	Short w/o Neck		15/64	0234	3/4	075	2 1/2	
7300410	GOPR4BN0250R075HA	KCU20	BN	Plain	Reg w/o Neck	yes	1/4	0250	3/4	075	2 1/2	
7301214	GOPR4BN0266S075HA	KCU20	BN	Plain	Short w/o Neck		17/64	0266	3/4	075	2 1/2	
7301215	GOPR4BN0281S075HA	KCU20	BN	Plain	Short w/o Neck		9/32	0281	3/4	075	2 1/2	
7301219	GOPR4BN0313S050HA	KCU20	BN	Plain	Short w/o Neck		5/16	0313	1/2	050	2	
7300411	GOPR4BN0313R075HA	KCU20	BN	Plain	Reg w/o Neck		5/16	0313	3/4	075	2 1/2	
7301218	GOPR4BN0313S081HA	KCU20	BN	Plain	Short w/o Neck		5/16	0313	13/16	081	2 1/2	
7301217	GOPR4BN0313S113HA	KCU20	BN	Plain	Short w/o Neck		5/16	0313	1 1/8	113	3	
7301216	GOPR4BN0313S163HA	KCU20	BN	Plain	Short w/o Neck		5/16	0313	1 5/8	163	3 1/2	
7301220	GOPR4BN0344S100HA	KCU20	BN	Plain	Short w/o Neck		11/32	0344	1	100	3	
7301221	GOPR4BN0375R050HA	KCU20	BN	Plain	Reg w/o Neck	yes	3/8	0375	1/2	050	2 1/2	
7300412	GOPR4BN0375R088HA	KCU20	BN	Plain	Reg w/o Neck		3/8	0375	7/8	088	2 1/2	
7301222	GOPR4BN0438R088HA	KCU20	BN	Plain	Reg w/o Neck		7/16	0438	7/8	088	3	
7301225	GOPR4BN0500R063HA	KCU20	BN	Plain	Reg w/o Neck	yes	1/2	0500	5/8	063	3	
7301226	GOPR4BN0500R063HB	KCU20	BN	Weldon	Reg w/o Neck		1/2	0500	5/8	063	3	
7301224	GOPR4BN0500R100HA	KCU20	BN	Plain	Reg w/o Neck	yes	1/2	0500	1	100	3	
7300414	GOPR4BN0500R100HB	KCU20	BN	Weldon	Reg w/o Neck		1/2	0500	1	100	3	
7300413	GOPR4BN0500S125HB	KCU20	BN	Weldon	Short w/o Neck		1/2	0500	1 1/4	125	3 1/4	
7301223	GOPR4BN0500S125HA	KCU20	BN	Plain	Short w/o Neck		1/2	0500	1 1/4	125	3 1/4	
7301227	GOPR4BN0563S125HA	KCU20	BN	Plain	Short w/o Neck		9/16	0563	1 1/4	125	3 1/2	
7301229	GOPR4BN0625R075HA	KCU20	BN	Plain	Reg w/o Neck		5/8	0625	3/4	075	3	

Tool-Krib Supply
Kennametal GOMill PRO Product Offering
October 1, 2025

SE - Square End, CH - Corner Chamfer, RA - Radius Corner, BN - Ball Nose												
KMT EDP #	ANSI	Grade	Front End Style	Shank Style	Flute Section Description	On TKS Promo	Cutting Dia (fraction)	Cutting Dia (decimal)	LOC (fraction)	LOC (decimal)	OAL	Radius
7301230	GOPR4BN0625R075HB	KCU20	BN	Weldon	Reg w/o Neck		5/8	0625	3/4	075	3	
7300415	GOPR4BN0625R125HB	KCU20	BN	Weldon	Reg w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301228	GOPR4BN0625R125HA	KCU20	BN	Plain	Reg w/o Neck		5/8	0625	1 1/4	125	3 1/2	
7301242	GOPR4BN0750R100HA	KCU20	BN	Plain	Reg w/o Neck		3/4	0750	1	100	3 1/2	
7301243	GOPR4BN0750R100HB	KCU20	BN	Weldon	Reg w/o Neck		3/4	0750	1	100	3 1/2	
7301241	GOPR4BN0750R150HA	KCU20	BN	Plain	Reg w/o Neck	yes	3/4	0750	1 1/2	150	4	
7300416	GOPR4BN0750R150HB	KCU20	BN	Weldon	Reg w/o Neck		3/4	0750	1 1/2	150	4	
7301244	GOPR4BN0875S150HA	KCU20	BN	Plain	Short w/o Neck		7/8	0875	1 1/2	150	4	
7301246	GOPR4BN1000R113HA	KCU20	BN	Plain	Reg w/o Neck		1	1000	1 1/8	113	4	
7301247	GOPR4BN1000R113HB	KCU20	BN	Weldon	Reg w/o Neck		1	1000	1 1/8	113	4	
7300417	GOPR4BN1000R150HB	KCU20	BN	Weldon	Reg w/o Neck		1	1000	1 1/2	150	4	
7301245	GOPR4BN1000R150HA	KCU20	BN	Plain	Reg w/o Neck		1	1000	1 1/2	150	4	
7301248	GOPR4BN1250S225HA	KCU20	BN	Plain	Short w/o Neck		1 1/4	1250	2 1/4	225	5	
7301249	GOPR4BN1250S225HB	KCU20	BN	Weldon	Short w/o Neck		1 1/4	1250	2 1/4	225	5	
11111												